	Table 12 in the second		
	Application No.	Applicant(s)	
Notice of Allowability	10/009,787	WILLIAMSON ET AL.	- <u> </u>
	Examiner	Art Unit	
	Monica A Fontaine	1732	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	plication. If not included n will be mailed in due course	e THIS e initiative
1. This communication is responsive to 25 May 2004.			
2. The allowed claim(s) is/are <u>13-33</u> .			
3. The drawings filed on 12 November 2001 are accepted by	the Examiner.		
 Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have an accordance of the priority documents have a construction of the priority documents have accordance of the priority documents have a construction of the	been received. been received in Application No		om the
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply of ENT of this application.	complying with the requireme	ents
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperso 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the	on's Patent Drawing Review (PTO-S Amendment / Comment or in the Of	office action of	of
DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F	it of BIOLOGICAL MATERIAL m	nust be submitted. Note the)
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Motice of Informal Pa	atent Application (PTO-152)	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary ((PTO-413),	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08	Paper No./Mail Date 3), 7. Examiner's Amendm	ent/Comment	
Paper No./Mail Date4. Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's Statemer	nt of Reasons for Allowance	
of Biological Material	9. Other		

Application/Control Number: 10/009,787

Art Unit: 1732

DETAILED ACTION

This office action is in response to the papers filed 25 May 2004.

The preliminary amendment originally submitted 12 November 2001 has been entered.

Allowable Subject Matter

Claims 13-33 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art of record neither teaches nor suggests the claimed vent apparatus comprising a valve housing that includes an aperture and an annular flange defining an annular channel, a tank mount that includes an annular rib formed to be received within the annular channel of the valve housing, and a coplanar relation between a top wall of the tank mount and a top wall of the valve housing.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Monica A Fontaine whose telephone number is 571-272-1198. The examiner can normally be reached on Monday-Friday 7:30am-5:00pm.

Application/Control Number: 10/009,787

Art Unit: 1732

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mike Colaianni can be reached on 571-272-1196. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Maf

September 16, 2004

MICHAEL P. COLAIANNI

SUPERVISORY PATENT EXAMINER